

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name: Caliper Clean
Product Use/Restriction: Degreaser
Manufacturer Name: POR-15, Inc.
Address: P.O. Box 1235
Morristown, NJ 07962-1235
General Phone Number: 800-457-6715
Customer Service Phone Number: 973-887-1999
Technical Product Information: 800-457-6715
Emergency Phone Number: 1-800-457-6715
CHEMTREC: For emergencies in the US, call CHEMTREC: 800-424-9300
MSDS Format: ANSI

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent	EC Num.
Potassium Hydroxide	1310-58-3	12 - 12 by weight	
Ethylene Glycol Monobutyl Ether	111-76-2	6 - 6 by weight	

SECTION 3 - HAZARDS IDENTIFICATION

Route of Exposure: Skin, eyes
Potential Health Effects:
 Eye:
 Skin:
 Inhalation:
 Ingestion:
Chronic Health Effects:
Signs/Symptoms: Not Applicable
Target Organs:
Aggravation of Pre-Existing Conditions: Not Applicable

SECTION 4 - FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for 15 to 20 minutes occasionally lifting eyelids. Get medical attention, if irritation or symptoms of overexposure persists.
Skin Contact: Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists. Wash contaminated clothing thoroughly before re-use.
Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention if necessary.
Ingestion: If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.
Note to Physicians:
Other First Aid:

SECTION 5 - FIRE FIGHTING MEASURES

Flammable Properties:
Flash Point: No data
Flash Point Method: T.O.C.
Auto Ignition Temperature:
Lower Flammable/Explosive Limit:
Upper Flammable/Explosive Limit:
Fire Fighting Instructions: Not Applicable
Extinguishing Media: Dry chemical (e.g. monoammonium phosphate, potassium sulfate, and potassium chloride), carbon dioxide, high expansion (proteinic) chemical foam, sand.
Unsuitable Media:
Protective Equipment: As in any fire wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Unusual Fire Hazards: Not Applicable
Hazardous Combustion Byproducts:

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personnel Precautions:
Environmental Precautions:
Spill Cleanup Measures: Flush with copious amounts of water.
Other Precautions:

SECTION 7 - HANDLING and STORAGE

Handling: Avoid freezing.
Storage:
Work Practices:
Special Handling Procedures:
Hygiene Practices: Not Applicable

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls: Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Not Applicable
Eye/Face Protection: Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166. Contact lenses should not be worn.
Skin Protection Description: Cover as much of the exposed skin area as possible with appropriate clothing. If skin creams are used, keep the area covered to a minimum.
& dbo_Section8.HandProtectionDescription
Respiratory Protection: Not Applicable
Other Protective: Eyewash and deluge shower should be available.

EXPOSURE GUIDELINES

Notes :

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

Flash Point: No data
Flash Point Method: T.O.C.
Auto Ignition Temperature:

SECTION 10 - STABILITY and REACTIVITY

Chemical Stability: Stable
Reactivity:
Hazardous Polymerization: Not Applicable
Conditions to Avoid:
Incompatible Materials: Acid materials
Special Decomposition Products:

SECTION 11 - TOXICOLOGICAL INFORMATION

SECTION 12 - ECOLOGICAL INFORMATION

SECTION 13 - DISPOSAL CONSIDERATIONS

SECTION 14 - TRANSPORT INFORMATION

DOT Shipping Name: Paint or Paint related material
DOT UN Number: UN3066
DOT Hazard Class: 8
DOT Packing Group: III

SECTION 15 - REGULATORY INFORMATION

SECTION 16 - ADDITIONAL INFORMATION