

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** **POR-Strip Paint Remover/Stripper**  
**Product Use/Restriction:** Paint Remover/Stripper  
**Manufacturer Name:** POR-15, Inc.  
**Address:** P.O. Box 1235  
Morristown, NJ 07962-1235  
**General Phone Number:** 800-457-6715  
**Customer Service Phone Number:** 973-887-1999  
**Technical Product Information:** 800-457-6715  
**Emergency Phone Number:** 1-800-457-6715  
**CHEMTREC:** For emergencies in the US, call CHEMTREC: 800-424-9300  
**MSDS Format:** ANSI

## SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent	EC Num.
Methylene Chloride	75-09-2	79.45 - 79.45 by weight	
Ethanol	64-17-5	12 - 12 by weight	
Aromatic Hydrocarbon	64742-95-6	3 - 3 by weight	

## SECTION 3 - HAZARDS IDENTIFICATION

**Route of Exposure:**  
**Potential Health Effects:** Harmful if inhaled; may be fatal or cause blindness if swallowed; cannot be made non-poisonous. Other symptoms: Dizziness, nausea, narcosis, headache, pulmonary conditions. Repeated overexposure may cause central nervous system, kidney, liver, lung, cardiac, blood, eye, damage  
**Eye:**  
**Skin:**  
**Inhalation:**  
**Ingestion:**  
**Chronic Health Effects:**  
**Signs/Symptoms:**  
**Target Organs:**  
**Aggravation of Pre-Existing Conditions:**

## SECTION 4 - FIRST AID MEASURES

**Eye Contact:** Immediately flush eyes with plenty of water for 15 to 20 minutes occasionally lifting eyelids. Get medical attention, if irritation or symptoms of overexposure persists.  
**Skin Contact:** Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists. Wash contaminated clothing thoroughly before re-use.  
**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention if necessary.  
**Ingestion:** If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Seek medical attention.  
**Note to Physicians:** Liver metabolizes part of the dose of Methylene Chloride to carbon monoxide, which may interfere with oxygen transport or utilization. Carboxyhemoglobin levels should be measured in patients symptomatic (headache, nausea, vomiting, malaise, shortness of breath, chest pain, etc) after exposure to Methylene Chloride.  
**Other First Aid:**

## SECTION 5 - FIRE FIGHTING MEASURES

**Flammable Properties:**  
**Flash Point:** No data  
**Flash Point Method:**  
**Auto Ignition Temperature:**  
**Lower Flammable/Explosive Limit:** No data  
**Upper Flammable/Explosive Limit:** No data  
**Fire Fighting Instructions:** Use cold water to cool fire-exposed containers. Water spray may be useful in minimizing vapors and cooling containers exposed to heat and flame.  
**Extinguishing Media:** Use dry chemical, foam, carbon dioxide, water fog or other material suitable for surrounding materials.

**Unsuitable Media:**  
**Protective Equipment:** As in any fire wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.  
**Unusual Fire Hazards:** This material will not support combustion unless the methylene chloride has evaporated. Closed containers may explode when exposed to extreme heat. Decomposition of components may cause health hazard and yield carbon monoxide, carbon dioxide, phosgene and/or HCL.  
**Hazardous Combustion Byproducts:**

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

**Personnel Precautions:**  
**Environmental Precautions:**  
**Spill Cleanup Measures:** Absorb with sand, earth or other inert material. Wear protective clothing.  
**Other Precautions:**

## SECTION 7 - HANDLING and STORAGE

**Handling:**  
**Storage:** Keep containers closed when not in use. Store away from ignition sources in well-ventilated areas. Keep out of reach of children.  
**Work Practices:**  
**Special Handling Procedures:**  
**Hygiene Practices:**

## SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

**Engineering Controls:** Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use in well-ventilated areas only. Have adequate general exhaust.  
**Eye/Face Protection:** Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166. Contact lenses should not be worn.  
**Skin Protection Description:** Cover as much of the exposed skin area as possible with appropriate clothing. If skin creams are used, keep the area covered to a minimum.  
& dbo\_Section8.HandProtectionDescription  
**Respiratory Protection:** A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, spray painting, or any other circumstances where air purifying respirators may not provide adequate protection.  
**Other Protective:** Eyewash and deluge shower should be available.

### EXPOSURE GUIDELINES

**Notes :**

## SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

**Flash Point:** No data  
**Flash Point Method:**  
**Auto Ignition Temperature:**

## SECTION 10 - STABILITY and REACTIVITY

**Chemical Stability:** Stable normally.  
**Reactivity:**  
**Hazardous Polymerization:** Will not occur.  
**Conditions to Avoid:** Heat, open flame, sparks.  
**Incompatible Materials:** Avoid: Oxidizers, alkali, H2O  
**Special Decomposition Products:**

## SECTION 11 - TOXICOLOGICAL INFORMATION

## SECTION 12 - ECOLOGICAL INFORMATION

## SECTION 13 - DISPOSAL CONSIDERATIONS

SECTION 14 - TRANSPORT INFORMATION

DOT Shipping Name: ORM - D  
DOT UN Number: ORM - D  
DOT Hazard Class: Non-Regulated

SECTION 15 - REGULATORY INFORMATION

SECTION 16 - ADDITIONAL INFORMATION

Copyright© 1996-2009 [Actio Software Corporation](http://www.actio.net). All Rights Reserved.  
<http://www.actio.net>